

REV B
02-APR-2020
EN

JAYBIRD & MAIS, INC.
FOAM UNDERWRAP TAPES
SAFETY DATA SHEET



1.0 NAME OF PRODUCT	50-27530 TAN 50-BLACK 50-BLUE 50-RED 50-GOLD 50-GREEN 50-ORANGE 50-BRGREEN 50-PINK
2.0 PRODUCT DESCRIPTION	
2.1 DESCRIPTION	Non-adhesive and breathable foam tape for use directly against the skin
2.2 CHARACTERISTICS	100% Polyurethane Foam Substrate 100% Latex Free Product Manufactured in the USA Hand Tearable Designed for normal skin Non-Sterile Low-Tensile Strength
2.3 INTENDED USE	Product to be used as a buffer and/or a base layer which will be taped over with rigid/stretch adhesive tapes.
2.4 INSTRUCTIONS FOR USE	Refer to Jaybird published taping techniques for applications. Adhesive strapping tape products have been on the market for 50+ years and is an established medical device. This is a short-term product, low risk category. There are various published manuals, texts for additional applications within the Physiotherapy/Athletic Training application discipline.
2.5 CE-CLASS / GMDN Code	Class 1 Non-Invasive, Non-Sterile GMDN Code: 16866 Basic skin adhesive tape Single Use Device
2.6 DURATION OF APPLICATION / PERIOD OF USE	Single use application not to exceed 24 hours.
2.7 COMPOSITION	Substrate(s): 100% Polyurethane Foam Adhesive Film: Not Applicable (N/A)
2.8 LATEX IN PRODUCT & PACKAGING MATERIAL	Product Composition: No Latex Content Packaging Materials: No Latex Content
2.9 PHTHALATE IN PRODUCT & PACKAGING	Phthalate in product: No Phthalate in packaging: No
2.10 CONTROLS	Weight of Substrate Thickness of Substrate Breathability

2.11 PRODUCT RANGE		
PRODUCT NO	SIZE	ROLLS/CASE
50-27530 TAN	2.75" x 30 yards (7,0cm x 27,4m)	48
50-BLACK	2.75" x 30 yards (7,0cm x 27,4m)	48
50-BLUE	2.75" x 30 yards (7,0cm x 27,4m)	48
50-RED	2.75" x 30 yards (7,0cm x 27,4m)	48
50-GOLD	2.75" x 30 yards (7,0cm x 27,4m)	48
50-GREEN	2.75" x 30 yards (7,0cm x 27,4m)	48
50-ORANGE	2.75" x 30 yards (7,0cm x 27,4m)	48
50-BRGREEN	2.75" x 30 yards (7,0cm x 27,4m)	48
50-PINK	2.75" x 30 yards (7,0cm x 27,4m)	48

REV B 02-APR-2020 EN	JAYBIRD & MAIS, INC. FOAM UNDERWRAP TAPES SAFETY DATA SHEET	 USA Jaybird & Mais Jaybird.com
---	--	--

2.12 STORAGE GUIDLINES	Store product cool and dry and away from direct sunlight, rotate stock and keep away from direct heat sources.
2.13 SHELF LIFE / STORAGE TIME	Five (5) years from manufacturing date

3.0 SAFETY INFORMATION	
3.1 RECOMMENDATIONS & PRECAUTIONS FOR USE	<ul style="list-style-type: none"> • It's important that the end-user in conjunction with a Doctor or Physiotherapist test the compatibility of the foam with the patients (subject) skin for potential irritation. • The product is not sterile and is only intended to be used on humans externally. The products are not designed as a surgical tape product and should not be used as such. • Do Not use on open wounds.
3.2 PHYSICAL & CHEMICAL PROPERTIES	Combustible solid
3.3 HEALTH HAZARDS	During normal and recommended usage, no health hazards anticipated
3.4 CONTRA INDICATIONS	Not to be used on patients with intolerance to Polyurethane
3.5 FIRE HAZARD & EMERGENCY ACTION	Standard fire extinguisher can be used on these products
3.6 TRANSPORT PRECAUTIONS	Not Applicable (N/A)
3.7 HANDLING USE AND PROTECTIVE CLOTHING	Not Applicable (N/A)
3.8 FIRST AID	Inhalation: Not Applicable Contact with Skin: Not Applicable Contact with Eye's: Not Applicable Ingestion: Not Applicable
3.9 DISPOSAL	Standard Incineration/landfill or Recycling in accordance with local environmental health laws Cardboard Boxes are made from 100% post-consumer recycled medium. It is recommended at this material be recycled. Paper Cores are made from 100% recycled fiber paperboard. It is recommended that this material be recycled.
4.0 GENERAL INFORMATION	

REV B
02-APR-2020
EN

JAYBIRD & MAIS, INC.
FOAM UNDERWRAP TAPES
SAFETY DATA SHEET



4.1 NAME & CONTACT	JAYBIRD & MAIS, INC. 360 Merrimack Street, Ste.250 Lawrence, MA 01843-1740 US Tel. 001-978-686-8659 Fax 001-978-686-1141 sales@jaybird.com www.jaybird.com
4.2 CERTIFICATE	ISO 9001:2015 BVQI – certificate on file

HISTORY

VERSION/DATE	PAGE/ITEM	DESCRIPTION OF CHANGE
Rev A 19-Sept-2019	All	Updated from MSDS format